

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 1948 | (719/328).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 12:03 |
| L2 | 1948 | (719/328).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 12:11 |
| L3 | 2 | ("20040226031").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 12:56 |
| L4 | 484 | (719/331).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 12:57 |
| L5 | 2 | ("7162596").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 12:57 |
| L6 | 484 | (719/331).CCLS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 12:58 |
| L7 | 1003 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same (exist \$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:00 |

| | | | | | | |
|-----|-----|---|---|----|-----|---------------------|
| L8 | 209 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same (exist \$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:00 |
| L9 | 388 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:00 |
| L10 | 4 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:01 |
| L11 | 28 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:01 |
| L12 | 108 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:01 |
| L13 | 28 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:03 |
| L14 | 4 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:03 |
| L15 | 1 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:10 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| L16 | 0 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:51 |
| L17 | 1 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:51 |
| L18 | 5 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:51 |
| L19 | 0 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:51 |
| L20 | 212 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:51 |
| L21 | 1696 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & contain\$3 with self\$3 with (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L22 | 6534 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & contain\$3 with self\$3 same (exist \$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L23 | 1265 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| L24 | 6454 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L25 | 1628 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L26 | 8 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L27 | 2 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L28 | 1265 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same (exist\$3 or present \$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:52 |
| L29 | 6454 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L30 | 1628 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L31 | 217 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 same (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |

| | | | | | | |
|-----|---------|--|---|----|-----|---------------------|
| L32 | 1 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 same (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L33 | 0 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 same (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L34 | 1451819 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L35 | 1675 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L36 | 388 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:53 |
| L37 | 209 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same (exist \$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:54 |
| L38 | 322680 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same (exist \$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:54 |
| L39 | 322680 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same (exist \$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:54 |
| L40 | 1628 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:54 |

| | | | | | | |
|-----|------|---|---|----|-----|---------------------|
| L41 | 6454 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:54 |
| L42 | 364 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L43 | 6 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L44 | 0 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 & (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L45 | 0 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L46 | 6 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L47 | 70 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) & contain\$3 with self\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |

| | | | | | | |
|-----|--------|--|---|----|-----|---------------------|
| L48 | 70 | 2 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) & contain\$3 with self\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L49 | 13165 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) & contain\$3 with self\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L50 | 342691 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 13:55 |
| L51 | 39605 | (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 14:01 |
| L52 | 226 | 1 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 14:01 |
| L53 | 51 | 6 & (call\$3 or API\$3 or (application adj2 programmin adj2 interface\$3)) with (select \$3 or determin\$3 or identif\$3) same (exist\$3 or present\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/12/10 14:01 |

12/ 10/ 2009 2:02:56 PM

C:\ Program Files\ USPTO\ EAST\ Bin\ default.wsp